

ECHO®



PRODUCT CATALOGUE

DEPEND ON IT



THE ESSENCE OF ECHO

After a hard day's work with your chain saw, brushcutter, blower or hedge trimmer, do you ever spend time thinking about your ECHO tool? Do you ever wonder if it will easily start the next time you need it, will it have enough power or will it last until the job is done? Probably not. You don't have to think about your tool because we already have. Our philosophy is simple – to produce professional quality products that meet the demands of the people who use them.

The Essence of ECHO is a complex story intended to make your life simple. The many facets include:

Skilled Craftsmen

For over 70 years we've been producing durable, dependable products. It starts with engineers who understand the requirements of the applications and optimise performance, durability and ergonomics. They are followed by those in manufacturing who take great pride in what they do: create components to exacting specifications and assemble them into products worthy of the ECHO name.

World Class Technology

To be a global leader, you need to have cutting edge technology. We use the latest materials for strength and reduced weight. Computerized design and manufacturing allow us to meet tight tolerances, providing superior fit, finish and performance. Robots work tirelessly in tandem with our skilled associates for efficient and concise assembly of our products.

Integrated Production


The engine is the heart of our products and we control the entire process. Our vertically integrated system starts with ingots and includes casting, machining, heat treating, polishing and plating, all done in Japan. When you are famous for your engines, you don't want to put your reputation in someone else's hands.

Relentless Commitment to Quality

Check, check and re-check. Prototypes are field tested for months to assure they meet demanding criteria. Parts are continually measured to make sure there is no deviation. Assemblies are tested for fit. Every engine is started and measured to make sure they perform from the first pull. There are no assumptions and there is no "good enough."

For more information on The Essence of ECHO, scan this QR code.





CONTENTS

TRUST ECHO	3
TRIMMERS & BRUSHCUTTERS	4
MULTI-TOOL SYSTEM	8
HEDGE TRIMMERS	10
CHAINSAWS	12
BLOWERS	14
PREMIUM OILS	17
ENGINE DRILL	17
CONCRETE CUTTING MACHINE	18

TRUST ECHO



2 YEAR PROFESSIONAL WARRANTY*

Yes, you did read that right. You can have absolute confidence in our equipment. ECHO is designed to be durable and to do what you ask it, wherever you take it. Not only that, our products are built to the highest standards of quality and performance. Our warranty is our statement of confidence and our badge of honour.



5 YEAR DOMESTIC WARRANTY*

5 years is a long time. Longer than you'll get from most of the equipment you buy. That's because we stand behind our products. We've been building equipment for professionals for over sixty years and that has given us an exceptional level of engineering and manufacturing expertise. As a home owner, you want long-term dependability enjoyed by professionals, and a well-built product that you can buy with confidence.



100% PROFESSIONAL GRADE

ECHO only builds equipment to one standard – professional. We manufacture products to suit the environment in which they will be used and the job they will be doing, and each piece of equipment is as durable as we can make it. We test our products in punishing conditions to ensure that they are capable of whatever you demand from them. So even if you don't use ECHO equipment professionally, the products you buy are already being used by people who do.



JAPAN TECHNOLOGY

You know that equipment designed in Japan will be reliable. Well built. Dependable. Professional. Durable. Japan is the home of technological craftsmanship and the nation has won international respect for its manufacturing expertise. This global standard also extends to the equipment we manufacture and we are proud to be counted among those companies that help Japan maintain its reputation for the quality of its engineering and technology.



ECHO X SERIES

REDEFINING STANDARDS

When your work demands the absolute best tools on the market, demand the ECHO X Series. Industry leading in their respective categories with our best in class features giving performance that is unrivalled.

BEST-IN-CLASS FEATURES

LOW WEIGHT AND HIGH POWER

WITHSTAND TOUGH CONDITIONS

TRIMMERS & BRUSHCUTTERS OVERVIEW

Tame any wilderness with ECHO trimmers and brushcutters. With high-torque gear cases and easy starting, durable engines, they make light work of brush and scrubland. They're ergonomically designed for greater comfort and reduced fatigue, so you can work longer and increase productivity.



TOOL-LESS AIR FILTER COVER
Easy to access.

25.4cm³ PROFESSIONAL-GRADE, 2-STROKE ENGINE
Provides greater power and improved acceleration.

NYLON HEAD F4 AND 3 CUTTER METAL BLADE AS STANDARD

PROFESSIONAL GRADE 25 mm DIAMETER OUTER PIPE
Increased durability.



NEW FAN COVER DESIGN
Reduces snagging of cables on branches.



HEAVY-DUTY AIRFILTER
For proven filtration.



SRM-2620ES



For more information on SRM-2620ES, scan this QR code.

5 year consumer / 2 year commercial warranties not available in all countries. Please check with your local dealer for details.



TRIMMERS & BRUSHCUTTERS



GT-222ES

Engine displacement: 21.2cm³ // Output: 0.71kW / 0.97ps //
Dry weight¹: 4.3kg



SRM-222ES

Engine displacement: 21.2cm³ // Output: 0.71kW / 0.91ps //
Dry weight¹: 4.7kg (LOOP HANDLE)



SRM-265

Engine displacement: 25.4cm³ // Output: 0.89kW / 1.2ps //
Dry weight¹: 5.3kg



For more information on High Torque Series, scan this QR code.



SRM-2620ES



Engine displacement: 25.4cm³ // Output: 1.04kW / 1.41ps // Dry weight¹: 5.8kg



SRM-420ES-LW

Engine displacement: 41.5cm³ // Output: 1.78kW / 2.42ps // Dry weight¹: 8.5kg (DOUBLE HANDLE)



SRM-3020TES / Loop Handle LOOP HANDLE SRM-3020TES / Double Handle

Engine displacement: 30.5cm³ // Output: 1.3kW / 1.7ps // Dry weight¹: 6.0kg (LOOP HANDLE), 6.3kg (U HANDLE)



SRM-420ES

Engine displacement: 41.5cm³ // Output: 1.78kW / 2.42ps // Dry weight¹: 8.2kg



SRM-350ES / Loop Handle LOOP HANDLE SRM-350ES / Double Handle

Engine displacement: 34.3cm³ // Output: 1.10kW / 1.50ps // Dry weight¹: 6.7kg (LOOP HANDLE), 6.9kg (DOUBLE HANDLE)



SRM-520ES

Engine displacement: 50.2cm³ // Output: 2.16kW / 2.94ps // Dry weight¹: 9.0kg



MULTI-TOOL SYSTEM

3' EXTENSION OPTION

#999442-00835
for Power Pruner and
Hedge Trimmer



PAS-PROSWEEP

#999442-00853



PAS-TILLER CULTIVATOR

#999442-00813



PAS-EDGER

#999442-00875
Blade Part No.
696015-52632



PAS-POWER PRUNER

#999442-00832



PAS-HEDGE TRIMMER

HCAA-2401A-LW



PAS-BLOWER

#999442-00890



PAS TRIMMER

00840
Cutting Head Part
No. C9500512



Quick-change
coupler makes
attachment transition
quick and easy.

PAS-265ES

Engine displacement: 25.4cm³ // Output: 0.89kW / 1.21ps //
Dry weight^{*1}: 4.8kg // Length^{*1}: 1025mm



*1: Unit without attachment.



	PAS-Trimmer	PAS-Hedge Trimmer	PAS-Power Pruner®	PAS-Edger	PAS-Tiller Cultivator	PAS-ProSweep™	PAS-Blower
	#999442-00840	HCAA-2401A-LW	#999442-00832	#999442-00875	#999442-00813	#999442-00553	#999442-00890
Configuration	EU	EU	EU	EU	EU	EU	EU
Dry weight (kg)	1.4	2.3	2.3	2.4	1.9	5.1	1.8
Length (mm)	870	1514	1450	802	895	925	635
Drive shaft diameter (mm)	6.1	6.1	6.1	6.1	6.1	6.1	10.5
Main pipe diameter (mm)	25	25	25	25	25	25	25
Gear reduction ratio	1.4	5.63	1.5	2.1	46.2	42.8	–
Cutting length (mm)	–	519	–	–	–	–	–
Cutter pitch (mm)	–	30	–	–	–	–	–
Applicable bar length (cm / inch)	–	–	25 / 10	–	–	–	–
Saw chain pitch (inch)	–	–	3/8	–	–	–	–
Cutting blade length (mm)	–	–	–	197	–	–	–
Culti rotor diameter (mm)	–	–	–	–	220	–	–
Culti rotor width (mm)	–	–	–	–	160	–	–
Maximum sweeping width (mm)	–	–	–	–	–	590	–
Air volume*2 (m ³ /h)	–	–	–	–	–	–	619
Maximum air speed*2 (m/sec)	–	–	–	–	–	–	51.4

*2: With PAS-265ES power head

HEDGE TRIMMERS

OVERVIEW

ECHO hedge trimmers are designed to be durable and well balanced. Features include lightweight gear cases, long-lasting blades and vibration-reducing engine mounts. The ergonomic design means that our hedge trimmers are easy to use and allow you to work for longer and be more productive.



ROTATABLE REAR HANDLE
For comfortable operating in all positions.

LIGHTWEIGHT GEAR CASE WITH INCREASED DURABILITY
Allows for faster cutter speed for

WIDER PITCH BLUNT
For safe operation with smooth cutting.



MAINTENANCE HOLE
Blades can be slid safely for grinding through maintenance hole.



FASTER CUTTER SPEED
STROKE RATE 4670 (1/min)



3 SHARP EDGES ON CUTTER BLADE

HC-185ES

HEDGE TRIMMERS **DOUBLE-SIDED**



HC-1501

Engine displacement: 21.2cm³ // Output: 0.58kW / 0.79ps //
Dry weight: 4.9kg // Cutting length: 20in / 499mm



HCR-1501

Engine displacement: 21.2cm³ // Output: 0.58kW / 0.79ps //
Dry weight: 5.1kg // Cutting length: 20in / 499mm



HCR-165ES

Engine displacement: 21.2cm³ // Output: 0.58kW / 0.79ps //
Dry weight: 5.1kg // Cutting length: 25in / 639mm



HCR-185ES

Engine displacement: 21.2cm³ // Output: 0.58kW / 0.79ps //
Dry Weight 5.3kg // Cutting length 30in / 744mm



HEDGE TRIMMERS **SINGLE-SIDED**



HC-331ES

Engine displacement: 23.6cm³ // Output: 0.66kW / 0.90ps //
Dry weight: 5.8kg // Cutting length: 29in / 728mm



HC-341ES

Engine displacement: 23.6cm³ // Output: 0.66kW / 0.90ps //
Dry weight: 6.1kg // Cutting length: 40in / 973mm



POLE HEDGE TRIMMERS



SHORT REACH HCAS-236ES-LW

Engine displacement: 21.2cm³ // Output: 0.71kW / 0.97ps //
Dry weight: 5.9kg // Cutting length: 20in / 519mm // Overall length: 1749mm




LONG REACH HCA-265ES-HD

Engine displacement: 25.4cm³ // Output: 0.89kW / 1.21ps //
Dry weight: 6.5kg // Cutting length: 20in / 519mm //
Overall length: 2418mm




Foldable arms (HCA-265ES-LW)



Ultra-convenient
'SNAPMOTION' articulate
angle adjustment system
works per 15 degrees
with 10-positions.



POWER PRUNERS[®] TELESCOPIC



PPT-265ES

Engine displacement: 25.4cc // Output: 0.89kW / 1.21ps // Dry weight¹: 7.9kg
Overall length: 2720-3720mm // Vibration: 5.3m/s²



HEDGE TRIMMER ATTACHMENT

HCAA-2402A



PPT-99442-00023



1.22m (4')
EXTENSION



CHAINSaws

OVERVIEW

Whether you're cutting, pruning or felling, ECHO has a chain saw for you. All our products are made to the same professional standard that won't let you down. Our chain saws have excellent cutting performance and durability, with features including vibration-reduction systems, easy-access air filters, automatic oilers and inertia chain brakes. So, whatever the job, you can depend on ECHO.



PROFESSIONAL QUALITY
GUIDE BAR



DUAL-POST CHAIN
BRAKE HANDLE

For increased
durability

CHAIN OIL
ADJUSTMENT ON TOP

Enables user
to control oil flow to
optimum operation.

G-FORCE ENGINE AIR
PRE-CLEANER

Reduces engine exposure
to dirt and debris for less
maintenance and longer life.

SEMI-AUTOMATIC DE-COMPRESSION

Reduced effort for starting

CS-4510ES



CHAINSAWS **TOP HANDLE**



CS-2511TES/25R



Engine displacement: 25.0cm³ // Output: 1.10kW / 1.50ps //
 Dry weight*1: 2.3kg // Bar size: 25cm / 10in



Carving Bar

CS-2511TES C



Engine displacement: 25.0cm³ // Output: 1.10kW / 1.50ps //
 Dry weight*1: 2.3kg // Bar size: 25cm / 10in



CS-360TES

Engine displacement: 35.8cm³ // Output: 1.50kW / 2.04ps //
 Dry weight*1: 3.6kg // Bar size: 30cm / 12in



CHAINSAWS **REAR HANDLE**



CS-310ES

Engine displacement: 30.5cm³ // Output: 1.10kW / 1.50ps //
 Dry weight*1: 4.0kg // Bar size: 35cm / 14in




CS-352ES

Engine displacement: 34.0cm³ // Output: 1.31kW / 1.78ps //
 Dry weight*1: 4.0kg // Bar size: 35cm / 14in



*1: Without guide bar and saw chain.



CS-420ES

Engine displacement: 40.2cm³ // Output: 1.6kW / 2.18ps //
Dry weight¹: 4.6kg // Bar size: 38cm / 15in



CS-4510ES

Engine displacement: 45.0cm³ // Output: 2.3kW / 3.1ps //
Dry weight¹: 5.0kg // Bar size: 33, 38, 45 / 15in



CS-501SX

Engine displacement: 50.2cm³ // Output: 2.57kW / 3.50ps //
Dry weight¹: 4.7kg // Bar size: 38, 45cm / 18, 20in



CS-590

Engine displacement: 59.8cm³ // Output: 3.0kW / 4.08ps //
Dry weight¹: 6.0kg // Bar size: 45, 50cm / 18, 20in



CS-620SX

Engine displacement: 59.8cm³ // Output: 3.32kW / 4.52ps //
Dry weight¹: 6.2kg // Bar size: 50cm / 20in



BLOWERS

OVERVIEW

ECHO developed the first backpack blower, the first handheld blower and the first 'quiet' blower. Constantly working on enhancing both performance and comfort, recent innovations include a patented operator cooling system and 'rotational control' to improve comfort on our hand-held range. So, if you are looking for an industry-leading blower, ECHO has just the product for you.



VENTILATED BACKPACK PAD
For operator cooling.

DELUXE PADDED SHOULDER STRAPS
With unique hooks for operator comfort.



ANTI-WEAR METAL RING
Helps reduce wear on the straight pipe.



TOOL LESS AIR FILTER COVER
For easy maintenance.

WIDE-ANGLE TUBE ROTATION
For optimum mobility.

RUBBER OVER-MOLD GRIP
With palm rest, hand stop and longer trigger.



LARGE-CAPACITY FUEL TANK
Enhances work capacity.

DOUBLE-LAYERED ENGINE COVER AND INSULATOR PLATE
Reduced noise for environmental friendliness and operator comfort.

IN-GRIP ADJUSTMENT OF THROTTLE CABLE



For more information on PB-580, scan this QR code.

PB-580



BLOWERS **HANDHELD**



PB-250

Engine displacement: 25.4cm³ // Output: 0.68kW / 0.92ps //
 Dry weight^{*1}: 4.3kg // Air volume^{*2}: 570m³/h //
 Max. air speed: 81.4m/sec



SHRED 'N' VAC[®]



ES-250ES

Engine displacement: 25.4cm³ // Output: 0.72kW / 0.98ps //
 Dry weight^{*1}: 5.7kg // Air volume^{*3}: 576m³/h //
 Max. air speed: 81.7m/sec



PB-2520

Engine displacement: 25.4cm³ // Output: 0.91kW / 1.24ps //
 Dry weight^{*1}: 3.9kg // Air volume^{*2}: 768m³/h //
 Max. air speed: 76.2m/sec



*1: Unit with standard blower or vacuum pipes. *2: At actual usage point (measured with blower pipes).
 *3: With standard blower pipes.

BLOWERS BACKPACK



PB-580

Engine displacement: 58.2cm³ // Output: 2.05kW / 2.79ps //
 Dry weight¹: 10.3kg // Air volume²: 882m³/h //
 Max. air speed: 96.4m/sec



PB-770



Engine displacement: 63.3cm³ // Output: 3.05kW / 4.15ps //
 Dry weight¹: 11.0kg // Air volume²: 1290m³/h //



PREMIUM OILS

2-STROKE ENGINE OIL

ECHO POWER BLEND GOLD

Quality engine oil plays an important role in clean and efficient engine running and provides excellent protection against rust, wear, corrosion and a lot more. ECHO oil is exclusively blended and tuned for ECHO 2-stroke engines. "Power Blend" works best with ECHO products. ECHO Power Blend Gold Oil exceeds ISO-LEGD and JASO M345/FD requirements. It has superior cleaning capabilities, minimises exhaust gas blockages and assures superior protection. Using ECHO Power Blend Gold Oil will help increase your tool's lifespan.



6454001

6454201

ENGINE DRILL



ENGINE DRILL

EDR-2400

Engine displacement: 23.6cm³ // Output: 0.68kW / 0.92ps //
 Dry weight²: 4.7kg // Gear reduction ratio: 17.1 (18.6 reverse)



CUT OFF-SAW

OVERVIEW



Engine displacement: 73.5cm³ // Output: 3.2kW / 4.4ps //
Dry weight¹: 10.7kg // Applicable blade diameter: 350mm



INVERTIBLE BLADE POSITION

EASY ADJUSTABLE WHEEL GUARD



SEALED RECOIL STARTER

4 STAGE FILTERING SYSTEM

MOMENTARY SWITCH

WATER KIT AS STANDARD

TRANSLUCENT FUEL TANK



DECOMPRESSION VALVE + ES START

Cutting blade not included

CSG-7410ES





**IRISH FARM
& GARDEN
MACHINERY**

info@gardenmachinery.ie
www.gardenmachinery.ie
www.echotools.ie
Tel: +353 (0) 1 8463922

 IRISHFARMANDGARDENMACHINERY

YAMA*BIKO*

We reserve the right to change models and specifications without prior notice.